





SIDE ELEVATION
SCALE=1/4"



SIDE ELEVATION
SCALE=1/4"



REAR ELEVATION
SCALE=1/4"



FRONT ELEVATION
SCALE=1/4"

PROGRESSIVE PLAN
DESIGN LLP
RESIDENTIAL ARCHITECTURE
10000 Highway 101, Suite 100
Byron, MN 55920
Phone: 507-535-1111
Fax: 507-535-1112

PROGRESSIVE PLAN DESIGN LLP
10000 Highway 101, Suite 100
Byron, MN 55920
Phone: 507-535-1111
Fax: 507-535-1112

BIGELOW/LENNON
H.O.Z. 2ND L-12.11 B-2

Bigelow and Lennon Construction, LLC


211 1st St. SW
Byron, MN 55920

3-20-10
NOTED
1011277
NOTED

CONTRACTOR: BIGELOW/LENNON
DATE: 1-12-11

CONTRACTOR: BIGELOW/LENNON
DATE: 1-12-11

NOTED
1911277
NOTED



HOUSE PARTY WALL
 EA 1/2" x 2" x 24" x 24"
 2 Rows Stud, 55-59 2"x4" Studed
 Base Layer 1/2" Type X Gypsum Board
 Insulation applied as tight against to
 south side of double row 2x4 wood
 studs 1/2" on an separate plastic 1/2"
 apart with 6 coated cavity 1/2" long
 studs which 1/2" studs 24" x 24"
 Layer 1/2" Type X gypsum board
 applied as tight against to north side
 with the second row of 2x4
 studs which 1/2" studs 24" x 24"
 studs staggered each layer and
 side: Insulation with 1/2" gap
 Side insulation to stud space on
 your side not with studs for knee
 High space 8" x 2"

DESCRIPTION MAIN FINISH

SEALER PANEL LENGTH TABLE
BASED ON WIND SPEED (10 mph)

Wind Speed (mph)	CS-BSP	CS-RSP	CS-ESP	CS-EP	CS-EP	CS-EP	CS-EP	CS-EP	CS-EP	CS-EP	CS-EP	CS-EP	CS-EP	CS-EP	CS-EP	CS-EP	CS-EP	CS-EP	CS-EP	CS-EP
10	26 FT	26 FT	26 FT	26 FT	26 FT	26 FT	26 FT	26 FT	26 FT	26 FT	26 FT	26 FT	26 FT	26 FT	26 FT	26 FT	26 FT	26 FT	26 FT	26 FT
15	16 FT	16 FT	16 FT	16 FT	16 FT	16 FT	16 FT	16 FT	16 FT	16 FT	16 FT	16 FT	16 FT	16 FT	16 FT	16 FT	16 FT	16 FT	16 FT	16 FT
20	12 FT	12 FT	12 FT	12 FT	12 FT	12 FT	12 FT	12 FT	12 FT	12 FT	12 FT	12 FT	12 FT	12 FT	12 FT	12 FT	12 FT	12 FT	12 FT	12 FT
25	36 FT	36 FT	36 FT	36 FT	36 FT	36 FT	36 FT	36 FT	36 FT	36 FT	36 FT	36 FT	36 FT	36 FT	36 FT	36 FT	36 FT	36 FT	36 FT	36 FT
30	22 FT	22 FT	22 FT	22 FT	22 FT	22 FT	22 FT	22 FT	22 FT	22 FT	22 FT	22 FT	22 FT	22 FT	22 FT	22 FT	22 FT	22 FT	22 FT	22 FT
35	22 FT	22 FT	22 FT	22 FT	22 FT	22 FT	22 FT	22 FT	22 FT	22 FT	22 FT	22 FT	22 FT	22 FT	22 FT	22 FT	22 FT	22 FT	22 FT	22 FT

DESCRIPTION MAIN FINISH

SEALER PANEL LENGTH TABLE
BASED ON WIND SPEED (10 mph)

Wind Speed (mph)	CS-BSP	CS-RSP	CS-ESP	CS-EP	CS-EP	CS-EP	CS-EP	CS-EP	CS-EP	CS-EP	CS-EP	CS-EP	CS-EP	CS-EP	CS-EP	CS-EP	CS-EP	CS-EP	CS-EP	
10	30 FT	30 FT	30 FT	30 FT	30 FT	30 FT	30 FT	30 FT	30 FT	30 FT	30 FT	30 FT	30 FT	30 FT	30 FT	30 FT	30 FT	30 FT	30 FT	30 FT
15	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT
20	14 FT	14 FT	14 FT	14 FT	14 FT	14 FT	14 FT	14 FT	14 FT	14 FT	14 FT	14 FT	14 FT	14 FT	14 FT	14 FT	14 FT	14 FT	14 FT	14 FT
25	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT
30	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT
35	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT
40	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT

DESCRIPTION MAIN FINISH


SEALER PANEL LENGTH TABLE
BASED ON WIND SPEED (10 mph)

Wind Speed (mph)	CS-BSP	CS-RSP	CS-ESP	CS-EP	CS-EP	CS-EP	CS-EP	CS-EP	CS-EP	CS-EP	CS-EP	CS-EP	CS-EP	CS-EP	CS-EP	CS-EP	CS-EP	CS-EP	CS-EP	
10	30 FT	30 FT	30 FT	30 FT	30 FT	30 FT	30 FT	30 FT	30 FT	30 FT	30 FT	30 FT	30 FT	30 FT	30 FT	30 FT	30 FT	30 FT	30 FT	30 FT
15	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT
20	14 FT	14 FT	14 FT	14 FT	14 FT	14 FT	14 FT	14 FT	14 FT	14 FT	14 FT	14 FT	14 FT	14 FT	14 FT	14 FT	14 FT	14 FT	14 FT	14 FT
25	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT
30	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT
35	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT
40	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT

DESCRIPTION MAIN FINISH


SEALER PANEL LENGTH TABLE
BASED ON WIND SPEED (10 mph)

Wind Speed (mph)	CS-BSP	CS-RSP	CS-ESP	CS-EP	CS-EP	CS-EP	CS-EP	CS-EP	CS-EP	CS-EP	CS-EP	CS-EP	CS-EP	CS-EP	CS-EP	CS-EP	CS-EP	CS-EP	CS-EP	
10	30 FT	30 FT	30 FT	30 FT	30 FT	30 FT	30 FT	30 FT	30 FT	30 FT	30 FT	30 FT	30 FT	30 FT	30 FT	30 FT	30 FT	30 FT	30 FT	30 FT
15	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT
20	14 FT	14 FT	14 FT	14 FT	14 FT	14 FT	14 FT	14 FT	14 FT	14 FT	14 FT	14 FT	14 FT	14 FT	14 FT	14 FT	14 FT	14 FT	14 FT	14 FT
25	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT
30	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT
35	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT	32 FT
40	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT	20 FT



CS BRACKET WALL
 PLATE FASTENED TO JAMB W/
 2" x 4" STUDS IN WALL.
 FULL HEIGHT BRACKETING IN U/C
 2" x 4" STUDS EACH SLICK
 7" SCREWS USED ON WALL

WALL BRACKETING NOTED ON PLAN
 1. ALL WALLS SHALL BE CONTINUOUSLY BRACKETED
 WITH FULL HEIGHT BRACKETING.
 2. CS-BSP OR PLANS BRACKET SHALL BE BRACKETED
 3. BRACKETING PANELS SHALL BE CONTINUOUSLY WITH
 1" O.C. STUDS. CS-BSP FASTENED TO STUDS
 FRAMING WITH 16 DADS 1/2" O.C.
 BRACKETING PANELS FASTENED TO BRACKET FRAMING W/
 3" x 4" STUDS IN U/C.
 7" x 4" STUDS BRACKETING W/ 16 DADS 1/2" O.C. IN
 FIELD.
 SEAM BRACKETING WITH STUDS BRACKETED WITH FULL HEIGHT
 BRACKETING 2" x 4" STUDS IN U/C. IN BRACKET BRACKETING WITH
 16 DADS 1/2" O.C. ALONG LENGTH OF PANEL.
 4" x 4" STUDS USED IN BRACKETING BRACKETING SHALL BE BRACKETED
 ON PLAN AND SUPPLYING METALS WILL BE PROVIDED



1,367.00 SQ. FT.
 MAIN FLOOR PLAN
 SCALE 1/4"=1'-0"
 8'-1-1/8" PLATE

1,367.00 SQ. FT.
 MAIN FLOOR PLAN
 SCALE 1/4"=1'-0"
 8'-1-1/8" PLATE

HIGHLANDS OF LINDSBROYA SECOND



Bigelow & Larson Construction LLC
 211 1st Street SW
 Byron, MN 55920