



NOTE: WDWS WIDER THAN 4'-1" TO HAVE 2-2X6 CRIPPLE

PROVIDE MECHANICAL FASTENERS POST TO BM CONNECTION

PROVIDE 1 DRAFT STOP FOR EVERY 1000 SQR FT OF FLOOR TRUSS AREA

1/2" SHEET ROCK ON LJD EXCEPT FOR 80 SQ FT OF MECHANICAL ROOM FIREBLOCKING ALONG 80 SQ FT

UNEXCAVATED
OMIT 1-CRS CONC BLOCK AT DOOR OPENINGS

VERIFY ALL WINDOW R.O. WITH ANDERSEN WINDOW SUPPLIER

PROGRESSIVE PLAN DESIGN LLP
RESIDENTIAL ARCHITECTURE
714 County RD 3 NW Irma MN 55920
(507-775-3577) progressiveplansd@gmail.com

I am a highly qualified professional in the industry of the information provided. The drawings are not to be used for any other purpose than that intended. I am not responsible for any errors or omissions in the drawings. I am not responsible for any construction or other work that may be done in reliance on these drawings. I am not responsible for any damage to property or persons that may result from the use of these drawings. I am not responsible for any other work that may be done in reliance on these drawings. I am not responsible for any damage to property or persons that may result from the use of these drawings.

Acknowledged by: _____ Customer/Contractor Signature _____ Date _____

CONTRACTOR: **BIG/LENN CONST.**
OWNER: **BL-360 H.O.Z. 6-8**

DATE	B.B.
NO	7-15-19
AREA	1,321.00
NO	1811028
STATUS	NOTED

LOWER FLOOR PLAN
SCALE 1/4"=1'-0"

